

# Power Electronics Trainer

## PB-600



### Description:

The Global Specialties Power Electronics Trainer, model PB-600, is a powerful and versatile educational tool. It's designed with a wide choice of built-in circuit accessories providing user convenience and allow easy construction of numerous power electronics circuits. Designers, Engineers, Technicians, Students, and Hobbyists will find this trainer to be a useful experimenting and prototyping tool.

The PB-600 contains all the necessary controls and devices required to construct power electronics circuits. From a firing angle control to semiconductor devices, this unit provides the user with several options to choose from when connecting a circuit.

The trainer includes (PDF download) an 85-page Student Lab Manual which is essentially a mini Power Electronics Course. Reading the lessons and completing the select circuits, will provide the user with a practical and solid understanding of power electronics.

The PB-2 board is removable for easy placement in the breadboarding area. This feature would be ideal for multi-student use in a classroom environment.

The PB-600 is designed to withstand the toughest treatment. It is constructed with the highest quality components for many years of reliable service.

### Applications:


Device Characteristics  
Commutation Circuit  
Resistor Triggering Circuit  
Ramp and Pedestal Triggering  
Relaxation Oscillator  
Voltage Commutated Chopper

Inverter Circuit  
Half Wave Controlled Rectifier  
Full-Wave Controlled Rectifier  
Buck Converter  
Boost Converter  
Buck-Boost Converter


### Features:

- Power Output:
  - 8 Fixed DC output options
  - 4 Fixed AC output options
- Removable circuit breadboard with 1,680 contact points
- Variety of semiconductor devices to choose from
- PWM and frequency controls
- Firing angle control, variable  $0^{\circ}$ - $180^{\circ}$
- Pulse transformer 1:1 and 1:1:1
- Duty cycle control 0 to 100%
- Potentiometer 4.7 K $\Omega$  and 1 M $\Omega$
- Power Electronics courseware available (Model PB-600 Student Lab Manual--PDF Download)
- Input power source, AC line switchable between:
  - 110 - 120V @ 60 Hz
  - 220 - 240 V @ 50 Hz
- 1-Year Warranty

## Front Panel




## Side Panel



## Accessories

Many additional classroom parts are available (examples below):

**PB-2**



Replacement Breadboard for multiple student use

**PB-600KIT**



Replacement Power Electronics Component Kit

**Included with PB-600**



Specifications and appearance subject to change without notice  
451-091-001\_rA

2-globalspecialties.com



## Specifications:

All specifications apply to the unit after a temperature stabilization time of 20 minutes over an ambient range of 20 °C ± 5 °C.

<b>Model</b>	<b>PB-600</b>
<b>Power</b>	3-wire AC Input with 115 V / 230 V (Selectable)
<b>DC Power Supply</b>	± 5V at 100mA, ± 12V at 150mA, ± 15V at 50mA & ± 35V at 50mA
<b>AC Power Supply</b>	18V - 0V - 18V at 50mA, & 15V - 0V - 15V at 50mA
<b>Breadboard</b>	1280 Tie Points and 4 Bus Strips with 100 Tie Points each, Totaling 1680 Tie Points. Size 112mm x 170mm (Approx.)
<b>Triggering Circuit</b>	5 Gate Signal Output, Frequency Range: 40Hz to 900Hz Variable, Amplitude: 12V PWM control of G1, G2, G3 and G4. Duty Cycle Control of "Gate" Signal is 0 to 100%
<b>Single Phase Rectifier</b>	Firing Angle Control 0°-180° Variable
<b>Pulse Amplifier</b>	Firing Circuit Four Gate Signal Output with Isolation Transformer
<b>SCR Assembly</b>	2P4M (4 pieces) 600V, 2A
<b>Power Devices</b>	IGBT- G4BC20S; MOSFET- IRF540; UJT- 2N2646, DIAC- DB3; TRIAC- BT136; PUT- 2N6027; SCR- TYN612/02
<b>Circuit Components</b>	Capacitor: 0.01uF, 0.047uF, 0.1uF, 0.33uF, 1uF/63V (4 pieces), 2.2uF/50V Diode: IN4007 (8 pieces), Zener Diode 9V Inductor: 10mH, 68mH (2 pieces) Resistor: 22Ω/5W, 100Ω/2W, 220Ω/2W, 10KΩ (3 pieces), 22KΩ, 33KΩ, 47KΩ,
<b>Potentiometer</b>	4.7KΩ (2 pieces), 1MΩ
<b>Load Resistance</b>	120Ω, 270Ω, 1KΩ, 2.2KΩ, (each 5W)
<b>Rocker Switch</b>	Single Pole Double Throw (SPDT)
<b>Pulse Transformer</b>	1:1 (2 pieces), 1:1:1
<b>Dimensions</b>	16.3" x 4.7" x 12.3" (W x H x D)
<b>Weight</b>	9.25 lbs
<b>Included Accessories</b>	PB-2 Breadboard, PB-600KIT Power Electronics Component Kit , WK-3 Jumper Wire Kit (70 pc), Patch Cords (36 pc), Power Cord
<b>Warranty</b>	1 Year

## Contact Information:


Toll Free: 800-572-1028 (US only)  
Phone: 714-221-9330 Fax: 714-921-9849  
22820 Savi Ranch Parkway  
Yorba Linda, CA 92887-4610 USA  
www.globalspecialties.com

Copyright © 2022, Global Specialties. All rights reserved.  
Information in this publication supersedes that in all previously published material. Trade names referenced are the service marks, trademarks or registered trademarks of their respective companies.

Specifications and appearance subject to change without notice.

451-091-001\_rA

3-globalspecialties.com



**PB-600**  
**Student Lab Manual**  
**(PDF Download)**

